CIA/RR GB 65-29 6 December 1965

USER: Date on Winds at Selected Stations

HIM 92°71'8-85°15'E

Idention of Wind	becomen on M	Pie Recurded
William work to		yint
Borth	· · · · · · · · · · · · · · · · · · ·	
Aurtheest	_6	9
Bust	1 4	14
Syntheset	29	20
South .	10	IJ
Pout live at	.	7
	1 %	14
Marthweat.	19	ij
The state of the s	5	10

Winter winds are predominantly from the east, although westerly and southwesterly winds are also common. From Hovenber through Moroh the average speed of the wind is LOugh (gentle breeze, see Beaufort Scale). Seat winds are generally week (Suph and below), whereas westerlies and southwesterlies average 15 to 20mph. East winds also predominate in summor. Wind speeds are generally 12mph or less in July. The average wind speed between May and September is 13mph.

Excluded 1200

Approved For Release 2001/04/27: CIA-RDP79T01019A000100200002-6

PREM 5/100'11-50°25'E

Direction of Wind	Percent of Wish	Recorded
The state of the s	<u> James y</u>	anly
Addition according to		14
Berth	9	15
Mortbess t	10	11
Bast.	11	9
Septimenat	76	10
Sout h		16
Butinest	29	TÃ.
West	15	
Martimest	3	9

relocity of the prevailing winds during the winter averages about 15mph. In spring the prevailing winds are southwesterly and the secondary winds are westerly. In summer, winds are primarily from the west or southwest, but in the morning and evening, northwesterly winds are common. Prevailing wind speeds in the summer are about 10mph. In fall, winds are predominantly from the west or southwest.

EAMERIC 188021 LL LO 19'S

Meetion of Hist	Percent of Wind	s Recordad
	A COMMON TO A COMM	After
Morth	5	78
Rootheast Best	25 15	1); 11
South	6	- 6 16
Soutlanest West	1 ¹ 4 18	28
Box theest	9	14

Prevailing winds from September through May are from the east-southeast, whereas secondary winds are from the west. During this period, wind speeds everage limph. From June through August, westerly winds predominate. Sales (winds with speeds in excess of Jamph) have been recorded in all months in this area, but they opens most frequently in the winter.

BRASEDYARSK 96°01'16-92°50'F

Mercettan of Wart	Percent of Vir	rea Recorded
	Jacketz	July
	1.	2
Kurtheest	<u></u>	12 12
Bast.		7
	₩	Ť
Genda Boutiteest	独	22
	فر	18
Mortinest	9	طبية

Winds are predominantly from the southwest throughout the year. During the winder, wind speeds everage lymph, but in the susser the winds are weeker, everaging year. Less than I percent of the winds at Krusnoyarak ever reach gale force (greater than 3) aph).

SEERLIDAMK 5393718-559581E

Direction of Vint	Percent of Max	s Recorded
	Jennesz	July
North	13	18
Borthesot	7	9
East Southeast	6 13	11
Special Control of the Control of th	22	77 70
Boularest	16 12	12
Vest Northest		19

Prevailing winds are from the south-southment in all seesons except source. During the summer, winds from the north and sorthwest predominate.

(Data on wind speeds is not readily smallable.)

Beaufort Scale

		miles per hour
0	Less then 1	Celm
1	1 to 3	Light eir
	% to 7	Light breeze
Ž	8 to 12	Gentle breeze
i.	IJ to II	Abderate brueze
5	19 to 24	Fresh breese
6	25 to 31	Strong breeze
7	爱物类	Moderate gale
Ü	79 to 46	Fresh gale
9	47 to 54	Strong gale
10	55 t o 63	Whole gale
11	& to 75	Storm
12	above 75	Burricene